


n: POZ90-1351CLT EXTRA STRONG PLASTIC GRATING



1. Unique identification code of the product-type:

- POZ90-1351CLT**
EXTRA STRONG PLASTIC GRATING WITH CLIP
- POZ90-1351NCLT**
EXTRA STRONG BLACK PLASTIC GRATING WITH CLIP
- POZ90-1351BCLT**
EXTRA STRONG WHITE PLASTIC GRATING WITH CLIP
- POZ90-1351SCLT**
EXTRA STRONG SAND PLASTIC GRATING WITH CLIP

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

THE PRODUCTION BATCH SHOWN ON THE LABEL AFFIXED TO THE PACKAGING OF THE PALLET

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

CROWNING AND CLOSING DEVICES FOR CIRCULATION AREAS USED BY PEDESTRIANS AND VEHICLES. IT MUST BE VERIFIED BY THE PERSON TO WHOM THE DOP IS DELIVERED THAT THE PROVISIONS OF THE REGULATIONS FOR THE GUTTER AS A WHOLE HAVE BEEN PROPERLY IMPLEMENTED. THE CHOICE OF TYPE IS THE RESPONSIBILITY OF THE PURCHASER. THE PRODUCTS ARE INTENDED TO BE PERMANENTLY INCORPORATED INTO CONSTRUCTION WORKS.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer:

DAKOTA GROUP S.A.S di ZENO CIPRIANI
Via Pitagora 3 - 37010 Affi (Verona) - Italy

5. System or systems of assessment and verification of constancy of performance of the construction product:

SYSTEM 3

6. Name and identification number of the notified body.

The notified body
THE RESEARCH INSTITUTE OF BUILDING MATERIALS (NIISM)
Performing initial type testing (ITT) as described in the standard
UNI EN 1433:2008
according to the
SYSTEM 3
And issued test reports nr.
425-1/PTD-409-20

7. Declared Performance

ESSENTIAL CHARACTERISTICS*	PERFORMANCE	HARMONIZED TECHNICAL SPECIFICATION
Load class*	A15	UNI EN 1433:2008
Strength tests of the grating unit (UNI EN 1433:2008)	Compliant	pt. 7.15.1 e 9.1.4.1
Strength tests of the unit joints (UNI EN 1433:2008)	Compliant	pt. 7.5.1 e 9.3.6
Measurement of the permanent series of the grating (UNI EN 1433:2008)	Compliant	pt. 7.16 e 9.1.4.2.1
Testing of grid strength (UNI EN 1433:2008)8)	Compliant	pt. 7.15.2 e 9.1.4.2.2

* In accordance with the manufacturer's installation instructions.

8. The product performance in items 1 and 2 is in accordance with the declared performance in item 6. This declaration of performance is issued under the sole responsibility of item 3.

Signed for and on behalf of:

Zeno Cipriani

Brentino Belluno - 11.04.2016
(Place and Date)


Dakota Group S.a.S.
(Signature)