


Snake Plus Bendable Modular Grating for Swimming Pool



INDEX

- 1. Code registry
- 2. Description
- 3. Use
- 4. Technical specification

1. CODE REGISTRY

Code	Description	Dimensions (mm)	Weight	Colour	Pkg. / Pallet
POZ90-250P1B	Snake Plus Modular Bendable Grating for Swimming Pool	250 x 1.000 x 25	2,60 kg/pz.	White	7 m / 84 m
POZ90-250P1B20	Snake Plus Modular Bendable Grating for Swimming Pool	250 x 1.000 x 20	2,50 kg/pz.	White	7 m / 84 m
POZ90-300P1B	Snake Plus Modular Bendable Grating for Swimming Pool	300 x 1.000 x 25	3,28 Kg/pz.	White	6 m / 72 m



MATERIAL Made of PP (polypropylene)

2. DESCRIPTION

Modular grating with a slow water runoff and designed for pedestrian crossing. The elements that compose this grating are interchangeable and thanks to bushhammering shows a non-slip surface.


Grating Snake Plus with dimensions 250 and 300 has 1 connection point.

The grating is composed by 40 modules to achieve 1.000 mm




SNAKE PLUS BENDABLE MODULAR GRATING FOR SWIMMING POOL


POZ90-250P1B



POZ90-250P1B20



POZ90-300P1B



SNAKE PLUS BENDABLE MODULAR GRATING FOR SWIMMING POOL

3. USE

Used at swimming pools edges to allow both slow water outflow and a safe anti-slip surface for pedestrian crossing.

4. TECHNICAL SPECIFICATION

Item	Description	Unit	Price
Dak.D.POZ90.xxxx	Supply and installation of modular, bendable and adjustable Grid with deliberately slowed water runoff and a footprint suitable for pedestrian passage. The elements that compose it are interchangeable and allow thanks to the bush-hammering a non-slip surface. The grid consists of 40 modules to achieve 1,000 mm. Sizes 200, 250 and 300 mm. Available in white. The profile for Snake Grid can be shaped, according to your needs, using heat. The grille must be prepared for the insertion of the locking system according to current regulations. Made of PP (polypropylene). Used at the edges of swimming pools to allow, both an intentionally slowed runoff of water and a footprint suitable for pedestrian passage.		
Dak.D.POZ90.250P1B	Snake Plus Bendable Grating - 1 connection point - 250 mm - White - h 25 mm	m	-
Dak.D.POZ90.250P1B20	Snake Plus Bendable Grating - 1 connection point - 250 mm - White - h 20 mm	m	-
Dak.D.POZ90.300P1B	Snake Plus Bendable Grating - 1 connection point - 300 mm - White - h 25 mm	m	-