4 WAY ADAPTER FOR KERADECK AND MAGNELIS

TER09-2299/4GE



TER09-2299S/4GE



TER09-2299/4AH



TER09-2299S/4AH



INDEX

1. Code registry

2. Description

3. Use

4. Fields of use

5. Technical specification

1. CODE REGISTRY


Code	Description	Measures (mm)	Weigth (kg)	Color	Pkg. / Pallet
TER09-2299/4GE	4-way adapter for Keradeck e Magnelis h 30 - Gemini	-	0,071	Nero	60 pcs. / 1.620 pcs.
TER09-2299S/4GE	4-way adapter for Keradeck h 20 - Gemini	-	0,071	Nero	60 pcs. / 1.620 pcs.
TER09-2299/4AH	4-way adapter for Keradeck e Mqgnelis h 30 - Arkimede e Hercules	-	0,059	Nero	60 pcs. / 1.620 pcs.
TER09-2299S/4AH	4-way adapter for Keradeck h 20 - Arkimede e Hercules	-	0,059	Nero	60 pcs. / 1.620 pcs.


MATERIAL Made of recycled PP (polypropylene)

This data sheet supersedes and replaces all previous ones. The information contained herein is accurate to our present knowledge.
Dakota Group S.a.S. assumes no responsibility or liability with respect to the information given. Dakota Group S.a.S. reserves the right to change speci cations and models without prior notice. Dakota Group S.a.S. - Via Don Cesare Scala, 55 - Brentino Belluno (VR) - Italy - tel. 045-6284080 - fax. 045-6284075 www.dakota.eu - info@dakota.eu o ufficio.tecnico@dakota.eu


4 WAY ADAPTER FOR KERADECK AND MAGNELIS

TER09-2299/4AH







TER09-2299S/4AH




TER09-2299/4GE





TER09-2299S/4GE



This data sheet supersedes and replaces all previous ones. The information contained herein is accurate to our present knowledge.
Dakota Group S.a.S. assumes no responsibility or liability with respect to the information given. Dakota Group S.a.S. reserves the right to change speci cations and models without prior notice. Dakota Group S.a.S. - Via Don Cesare Scala, 55 - Brentino Belluno (VR) - Italy - tel. 045-6284080 - fax. 045-6284075 www.dakota.eu - info@dakota.eu o ufficio.tecnico@dakota.eu

4 WAY ADAPTER FOR KERADECK AND MAGNELIS

2. DESCRIPTION

4-way clip designed for a simple, fast, and secure anchoring of Keradeck or Magnelis joists to Gemini, Arkimede, and Hercules supports. The component allows for the creation of linear framing layouts for standard substructures, or combining the linear configuration with a 'T' layout to manage more complex structural grids.

3. USE

The 4-way clip is specifically designed for the assembly and mechanical locking of load-bearing joists within substructure systems.

4. FIELDS OF APPLICATION

All contexts requiring the creation of planar supporting metal framing.

5. TECHNICAL SPECIFICATION

Item	Description	Unit	Price
Dak.O.TER09-229XX/4xx	Supply and installlation 4-way clip designed for Keradeck or Magnelis joists to Gemini, Arkimede, and Hercules supports.	pc.	-
Dak.O.TER09-2299/4GE	4 way adapter for Keradeck h 30 and Magnelis h 30 - Gemini	pc.	-
Dak.O.TER09-2299S/4GE	4 way adapter for Keradeck 20 - Gemini	pc.	-
Dak.O.TER09-2299/4AH	4 way-adapter for Keradeck and Magnelis h 30 - Arkimede e Hercules	pc.	-
Dak.O.TER09-2299S/4AH	4 way adapter for Keradeck 20 - Arkimede e Hercules	pc.	-

This data sheet supersedes and replaces all previous ones. The information contained herein is accurate to our present knowledge.
Dakota Group S.a.S. assumes no responsibility or liability with respect to the information given. Dakota Group S.a.S. reserves the right to change speci cations and models without prior notice. Dakota Group S.a.S. - Via Don Cesare Scala, 55 - Brentino Belluno (VR) - Italy - tel. 045-6284080 - fax. 045-6284075 www.dakota.eu - info@dakota.eu o ufficio.tecnico@dakota.eu